APPLIED PHYSICS: Organic Solid-State Lasers: Past and Future -- Dodabalapur et al. 277 (5333): 1787 -- Science

Jump to: Page Content, Section Navigation, Site Navigation, Site Search, Account Information, or Site Tools.

Note to users. If you're seeing this message, it means that your browser cannot find this page's style/presentation instructions -- or possibly that you are using a browser that does not support current Web standards. Find out more about why this message is appearing, and what you can do to make your experience of our site the best it can be.



oratina

Glass



Schematic structures of the first DFB (top) and DBR (bottom) lasers. In the DFB laser, feedback

is provided throughout the gain region by a phase grating that was defined in the gelatin by intersecting ultraviolet beams. In the DBR laser, the gratings are defined at the ends of the laser cavity. [Adapted from $(\underline{3}, \underline{4})$] Illustration: P. MORRIGHAN

ADVERTISEMENT



The successful realization of DBR and DFB lasers with dye-doped polymers was followed by efforts to replicate these resonator designs with III-V semiconductors such as GaAs, but success was slow to come because of processing difficulties. Eventually these difficulties were overcome, and both photopumped (5) and electrically driven DFB (6) lasers were demonstrated. Subsequent advances led to the widespread use of InP-based DFB and DBR lasers in long-haul optical communication systems. These lasers are favored because of their superior single-frequency operation and high-speed modulation characteristics compared to conventional Fabry-Perot lasers.

Research on organic gain media--liquid and solid--was useful in clarifying many aspects of the operation of vertical-cavity surfaceemitting lasers (VCSELs). For example, work with organic lasers improved understanding of the influence of the spontaneous emission factor β on the threshold characteristics of planar microcavity lasers (7, 8), which are similar to VCSELs. The factor β is the fraction of the total spontaneous emission that is coupled to the lasing mode below threshold. Microlasers with β close to 1 can have very low thresholds. The VCSELs based on III-V semiconductors are technologically important because of the compact volume, low-threshold currents, and high coupling efficiency to single-mode optical fibers.

Fluorescent organic dyes have been used to study the properties of spherical and near-spherical resonators (9). The lasing modes of such resonators are called "whispering gallery" modes or morphology-dependent resonances and are the optical analogs of acoustic whispering galleries that are found in buildings such as St. Paul's Cathedral in London. Experimental work on lasing in liquid droplets containing laser dyes (9) led to recent theoretical studies of the effects of chaos, both classical and quantum, in asymmetric resonant cavities (10).

There are also examples of microlaser structures that were first demonstrated with inorganic semiconductors and were subsequently implemented with organics. The GaAs and InP microdisk lasers have the very small volumes and low-threshold power and current densities (<u>11</u>). The lasing modes of these thumbtack-shaped lasers are also whispering-gallery modes. Microdisk lasers with molecular doped polymer (<u>12</u>) and sublimed organic active layers (<u>13</u>) have been recently reported. These microlasers are of interest because of their simple fabrication and potential to lower threshold pump powers as a result of strong emission coupling to low-loss microcavity resonances.

In addition to being useful in investigating the properties of novel resonators, organic solid-state gain media have been considered for possible replacement of liquid dye lasers. This goal was one of the motivations for the earliest work on light amplification in organic films (1) and is still an area of active research, and some solid-state organic laser dye materials have been marketed. However, their durability has not been adequate to lead to large-scale replacement of liquid dye lasers.

Developments in organic laser dyes also influenced the design of efficient thin-film organic light-emitting diodes (LEDs) (14), in which the emissive layer consists of tris (8-hydroxyquinolinato) aluminum (Alq) doped with small amounts (~1%) of a laser dye such as DCM. The excited states created electrically in the host Alq excite the dye dopant through a process known as Förster energy transfer. The resultant emission spectrum is primarily that of the dye, and the quantum yield is enhanced with respect to that of a film of only the host Alq. Such dye-doped emissive layers are used in the most efficient and reliable organic LEDs reported to date (15). Advances in efficiency and lifetime have also been made in LEDs with conjugated-polymer emissive materials (16). These improvements in LED performance characteristics have stimulated fresh interest in organic laser research. For example, advances in conjugated-polymer

Article Views

- <u>Summary</u>
- Full Text (HTML)

Article Tools

- Save to My Folders
- Download Citation
- Alert Me When Article is Cited
- Post to CiteULike
- E-mail This Page
- Submit an E-Letter
- Commercial Reprints and Permissions

Related Content Similar Articles In:

- Science Magazine
- Web of Science

Search Google Scholar for:

- Articles by Dodabalapur, A.
- Articles by Slusher, R. E.

Find Citing Articles in:

- Web of Science (30)
- <u>CrossRef</u>
- Google Scholar
- <u>Scopus</u>

My Science

http://www.sciencemag.org/cgi/content/full/277/5333/1787 (2 of 4)2009-11-23 8:41:54

APPLIED PHYSICS: Organic Solid-State Lasers: Past and Future -- Dodabalapur et al. 277 (5333): 1787 -- Science

- <u>My Folders</u>
- <u>My Alerts</u>
- <u>My Saved Searches</u>
- Sign Out

More Information More in Collections

• Physics, Applied

Related Jobs from ScienceCareers

• <u>Physics</u>

design and synthesis have led to several recent reports of stimulated emission from films that can have high photoluminescence quantum yields and high optical gain $(\underline{16}, \underline{17})$.

Electrically driven lasing in organics is being eagerly sought. Organic materials generally have emission spectra that are red-shifted with respect to their absorption spectra, which makes it easier to create population inversion in comparison with inorganic semiconductors, which must first be made transparent because the large absorption in the unpumped state is several orders of magnitude higher than that in organics. The main difficulty in realizing organic diode lasers is that the low carrier mobilities in these materials make it difficult to create carrier densities high enough to generate the gain necessary to overcome losses in the laser cavity. There are other challenges as well: The device technology is still in its infancy. Important design issues have to be addressed and advances in fabrication technologies are needed. There are encouraging developments. Progress has been made in achieving optically pumped laser action in materials or material combinations that are capable of charge transport (<u>13</u>, <u>16</u>, <u>17</u>). Photopumped lasing has been demonstrated in resonator structures such as microdisks and planar microcavities, which are quite easily adapted for electrical injection. However, much remains to be done, and considerable effort is being expended to bridge the gap that exists between present technology and a diode laser. This laser research should help LED technology as well.

Organic laser materials, particularly the recently improved materials, will continue to be useful in researching the properties of resonators. There is currently much interest in lasers based on the photonic band-gap concept, where the separation between theory and experiment is remarkably wide (<u>18</u>). Organic gain media have a number of properties that are particularly suitable for these geometries. For example, they can be quite easily made to fill the subwavelength-sized holes and crevices that are characteristic features of photonic band-gap structures. The accelerated pace of research will make the future of organic solid-state lasers at least as interesting as the past.

References

- 1. B. H. Soffer and B. B. McFarland, Appl. Phys. Lett. 10, 266 (1967).
- 2. P. P. Sorokin and J. R. Lankard, IBM J. Res. Dev. 10, 162 (1966).
- 3. H. Kogelnik, and C. V. Shank, *ibid.* 18, 152 (1971).
- 4. I. P. Kaminov, H. P. Weber, E. A. Chandross, *ibid.*, p. 497.
- 5. M. Nakamura et al., ibid. 22, 515 (1973).
- 6. D. R. Scifres et al., ibid. 25, 203 (1974).
- 7. F. De Martini et al., Phys. Rev. Lett. 59, 2955 (1987).
- 8. H. Yokoyama, Science 256, 66 (1992).
- 9. S.-X. Qian et al., ibid. 231, 486 (1986).
- 10. J. U. Nockel and A. D. Stone, Nature 385, 45 (1997).
- 11. S. L. McCall et al., Appl. Phys. Lett. 60, 289 (1992); R. E. Slusher et al., ibid. 63, 1310 (1993).
- 12. M. Gonokami et al., Opt. Lett. 20, 2090 (1985).
- 13. M. Berggren *et al.*, presented at the Materials Research Society Meeting, San Francisco, CA, 31 March 1997 www.mrs.org/meetings/spring97/abstract_book/h/h1/index.html.
- 14. C. W. Tang et al., J. Appl. Phys. 65, 3610 (1989).
- 15. C. W. Tang, SID96 Digest (Society for Information Display, Santa Ana, CA, 1986), p. 181.
- 16. R. H. Friend et al., Solid State Commun. 102, 249 (1997).
- F. Hide et al., Science 273, <u>1833</u> (1996); N. Tessler et al., Nature 382, 695 (1996); S. V. Frolov et al., Phys. Rev. Lett. 78, <u>729</u> (1997).
- 18. J. D. Joannopoulos et al., Solid State Commun. 102, 165 (1997).

The authors are at Bell Laboratories, Lucent Technologies, Murray Hill, NJ 07974, USA. E-mail: ananth@physics.bell-labs.com



Tools, Tips, and Essentials





Produced by the Science/AAAS Business Office

Science Careers
From the journal Science

To Advertise | Find Products

ADVERTISEMENT

Featured Jobs

Science. ISSN 0036-8075 (print), 1095-9203 (online)

MAAAS **(HIIghWinePress**

News | Science Journals | Careers | Blogs and Communities | Multimedia | Collections | Help | Site Map | RSS

Subscribe | Feedback | Privacy / Legal | About Us | Advertise With Us | Contact Us

© 1997 American Association for the Advancement of Science. All Rights Reserved. AAAS is a partner of <u>HINARI, AGORA, PatientInform, CrossRef</u>, and <u>COUNTER</u>.

You have reached the bottom of the page. Back to top