

## Contents

<b>Preface</b>	<i>page xvii</i>
<b>1 Introduction to the electron liquid</b>	1
1.1 A tale of many electrons	1
1.2 Where the electrons roam: physical realizations of the electron liquid	5
1.2.1 Three dimensions	5
1.2.2 Two dimensions	8
1.2.3 One dimension	12
1.3 The model hamiltonian	13
1.3.1 Jellium model	13
1.3.2 Coulomb interaction regularization	14
1.3.3 The electronic density as the fundamental parameter	17
1.4 Second quantization	19
1.4.1 Fock space and the occupation number representation	19
1.4.2 Representation of observables	21
1.4.3 Construction of the second-quantized hamiltonian	27
1.5 The weak coupling regime	29
1.5.1 The noninteracting electron gas	29
1.5.2 Noninteracting spin polarized states	31
1.5.3 The exchange energy	32
1.5.4 Exchange energy in spin polarized states	34
1.5.5 Exchange and the pair correlation function	34
1.5.6 All-orders perturbation theory: the RPA	36
1.6 The Wigner crystal	39
1.6.1 Classical electrostatic energy	40
1.6.2 Zero-point motion	43
1.7 Phase diagram of the electron liquid	45
1.7.1 The Quantum Monte Carlo approach	45
1.7.2 The ground-state energy	48
1.7.3 Experimental observation of the electron gas phases	55
1.7.4 Exotic phases of the electron liquid	56

viii	<i>Contents</i>	
1.8	Equilibrium properties of the electron liquid	59
1.8.1	Pressure, compressibility, and spin susceptibility	59
1.8.2	The virial theorem	62
1.8.3	The ground-state energy theorem	63
	<i>Exercises</i>	65
<b>2</b>	<b>The Hartree–Fock approximation</b>	69
2.1	Introduction	69
2.2	Formulation of the Hartree–Fock theory	71
2.2.1	The Hartree–Fock effective hamiltonian	71
2.2.2	The Hartree–Fock equations	71
2.2.3	Ground-state and excitation energies	75
2.2.4	Two stability theorems and the coulomb gap	76
2.3	Hartree–Fock factorization and mean field theory	78
2.4	Application to the uniform electron gas	80
2.4.1	The exchange energy	81
2.4.2	Polarized versus unpolarized states	84
2.4.3	Compressibility and spin susceptibility	85
2.5	Stability of Hartree–Fock states	86
2.5.1	Basic definitions: local versus global stability	86
2.5.2	Local stability theory	86
2.5.3	Local and global stability for a uniformly polarized electron gas	89
2.6	Spin density wave and charge density wave Hartree–Fock states	90
2.6.1	Hartree–Fock theory of spiral spin density waves	91
2.6.2	Spin density wave instability with contact interactions in one dimension	95
2.6.3	Proof of Overhauser’s instability theorem	96
2.7	BCS non number-conserving mean field theory	101
2.8	Local approximations to the exchange	103
2.8.1	Slater’s local exchange potential	104
2.8.2	The optimized effective potential	106
2.9	Real-world Hartree–Fock systems	109
	<i>Exercises</i>	109
<b>3</b>	<b>Linear response theory</b>	111
3.1	Introduction	111
3.2	General theory of linear response	115
3.2.1	Response functions	115
3.2.2	Periodic perturbations	119
3.2.3	Exact eigenstates and spectral representations	120
3.2.4	Symmetry and reciprocity relations	121
3.2.5	Origin of dissipation	123

<i>Contents</i>		ix
3.2.6	Time-dependent correlations and the fluctuation–dissipation theorem	125
3.2.7	Analytic properties and collective modes	127
3.2.8	Sum rules	129
3.2.9	The stiffness theorem	131
3.2.10	Bogoliubov inequality	133
3.2.11	Adiabatic versus isothermal response	134
3.3	Density response	136
3.3.1	The density–density response function	136
3.3.2	The density structure factor	138
3.3.3	High-frequency behavior and sum rules	139
3.3.4	The compressibility sum rule	140
3.3.5	Total energy and density response	142
3.4	Current response	143
3.4.1	The current–current response function	143
3.4.2	Gauge invariance	146
3.4.3	The orbital magnetic susceptibility	146
3.4.4	Electrical conductivity: conductors versus insulators	147
3.4.5	The third moment sum rule	149
3.5	Spin response	151
3.5.1	Density and longitudinal spin response	151
3.5.2	High-frequency expansion	152
3.5.3	Transverse spin response	153
	<i>Exercises</i>	154
<b>4</b>	<b>Linear response of independent electrons</b>	<b>157</b>
4.1	Introduction	157
4.2	Linear response formalism for non-interacting electrons	157
4.3	Density and spin response functions	159
4.4	The Lindhard function	160
4.4.1	The static limit	162
4.4.2	The electron–hole continuum	166
4.4.3	The nature of the singularity at small $q$ and $\omega$	170
4.4.4	The Lindhard function at finite temperature	172
4.5	Transverse current response and Landau diamagnetism	173
4.6	Elementary theory of impurity effects	175
4.6.1	Derivation of the Drude conductivity	177
4.6.2	The density–density response function in the presence of impurities	179
4.6.3	The diffusion pole	181
4.7	Mean field theory of linear response	182
	<i>Exercises</i>	185

<b>5</b>	<b>Linear response of an interacting electron liquid</b>	188
5.1	Introduction and guide to the chapter	188
5.2	Screened potential and dielectric function	191
5.2.1	The scalar dielectric function	191
5.2.2	Proper versus full density response and the compressibility sum rule	192
5.2.3	Compressibility from capacitance	194
5.3	The random phase approximation	196
5.3.1	The RPA as time-dependent Hartree theory	197
5.3.2	Static screening	198
5.3.3	Plasmons	202
5.3.4	The electron–hole continuum in RPA	209
5.3.5	The static structure factor and the pair correlation function	209
5.3.6	The RPA ground-state energy	210
5.3.7	Critique of the RPA	215
5.4	The many-body local field factors	216
5.4.1	Local field factors and response functions	220
5.4.2	Many-body enhancement of the compressibility and the spin susceptibility	223
5.4.3	Static response and Friedel oscillations	224
5.4.4	The STLS scheme	226
5.4.5	Multicomponent and spin-polarized systems	228
5.4.6	Current and transverse spin response	230
5.5	Effective interactions in the electron liquid	232
5.5.1	Test charge–test charge interaction	232
5.5.2	Electron–test charge interaction	233
5.5.3	Electron–electron interaction	234
5.6	Exact properties of the many-body local field factors	240
5.6.1	Wave vector dependence	240
5.6.2	Frequency dependence	246
5.7	Theories of the dynamical local field factor	253
5.7.1	The time-dependent Hartree–Fock approximation	254
5.7.2	First order perturbation theory and beyond	257
5.7.3	The mode-decoupling approximation	259
5.8	Calculation of observable properties	260
5.8.1	Plasmon dispersion and damping	261
5.8.2	Dynamical structure factor	263
5.9	Generalized elasticity theory	264
5.9.1	Elasticity and hydrodynamics	265
5.9.2	Visco-elastic constants of the electron liquid	268
5.9.3	Spin diffusion	270
	<i>Exercises</i>	270

<b>6</b>	<b>The perturbative calculation of linear response functions</b>	275
6.1	Introduction	275
6.2	Zero-temperature formalism	276
6.2.1	Time-ordered correlation function	276
6.2.2	The adiabatic connection	278
6.2.3	The non-interacting Green's function	280
6.2.4	Diagrammatic perturbation theory	282
6.2.5	Fourier transformation	288
6.2.6	Translationally invariant systems	290
6.2.7	Diagrammatic calculation of the Lindhard function	291
6.2.8	First-order correction to the density–density response function	292
6.3	Integral equations in diagrammatic perturbation theory	294
6.3.1	Proper response function and screened interaction	295
6.3.2	Green's function and self-energy	297
6.3.3	Skeleton diagrams	300
6.3.4	Irreducible interactions	302
6.3.5	Self-consistent equations	311
6.3.6	Two-body effective interaction: the local approximation	313
6.3.7	Extension to broken symmetry states	316
6.4	Perturbation theory at finite temperature	319
	<i>Exercises</i>	324
<b>7</b>	<b>Density functional theory</b>	327
7.1	Introduction	327
7.2	Ground-state formalism	328
7.2.1	The variational principle for the density	328
7.2.2	The Hohenberg–Kohn theorem	331
7.2.3	The Kohn–Sham equation	333
7.2.4	Meaning of the Kohn–Sham eigenvalues	335
7.2.5	The exchange–correlation energy functional	335
7.2.6	Exact properties of energy functionals	338
7.2.7	Systems with variable particle number	340
7.2.8	Derivative discontinuities and the band gap problem	342
7.2.9	Generalized density functional theories	346
7.3	Approximate functionals	348
7.3.1	The Thomas–Fermi approximation	348
7.3.2	The local density approximation for the exchange–correlation potential	349
7.3.3	The gradient expansion	353
7.3.4	Generalized gradient approximation	355
7.3.5	Van der Waals functionals	361
7.4	Current density functional theory	364

xii	<i>Contents</i>	
	7.4.1 The vorticity variable	365
	7.4.2 The Kohn–Sham equation	366
	7.4.3 Magnetic screening	367
	7.4.4 The local density approximation	368
7.5	Time-dependent density functional theory	370
	7.5.1 The Runge–Gross theorem	370
	7.5.2 The time-dependent Kohn–Sham equation	374
	7.5.3 Adiabatic approximation	376
	7.5.4 Frequency-dependent linear response	377
7.6	The calculation of excitation energies	378
	7.6.1 Finite systems	378
	7.6.2 Infinite systems	382
7.7	Reason for the success of the adiabatic LDA	385
7.8	Beyond the adiabatic approximation	386
	7.8.1 The zero-force theorem	388
	7.8.2 The “ultra-nonlocality” problem	388
7.9	Current density functional theory and generalized hydrodynamics	390
	7.9.1 The xc vector potential in a homogeneous electron liquid	392
	7.9.2 The exchange-correlation field in the inhomogeneous electron liquid	394
	7.9.3 The polarizability of insulators	395
	7.9.4 Spin current density functional theory	397
	7.9.5 Linewidth of collective excitations	397
	7.9.6 Nonlinear extensions	399
	<i>Exercises</i>	399
<b>8</b>	<b>The normal Fermi liquid</b>	405
	8.1 Introduction and overview of the chapter	405
	8.2 The Landau Fermi liquid	406
	8.3 Macroscopic theory of Fermi liquids	410
	8.3.1 The Landau energy functional	410
	8.3.2 The heat capacity	412
	8.3.3 The Landau Fermi liquid parameters	413
	8.3.4 The compressibility	414
	8.3.5 The paramagnetic spin response	416
	8.3.6 The effective mass	418
	8.3.7 The effects of the electron–phonon coupling	421
	8.3.8 Measuring $m^*$ , $K$ , $g^*$ and $\chi_S$	423
	8.3.9 The kinetic equation	427
	8.3.10 The shear modulus	429
8.4	Simple theory of the quasiparticle lifetime	432
	8.4.1 General formulas	432

<i>Contents</i>		xiii
8.4.2	Three-dimensional electron gas	435
8.4.3	Two-dimensional electron gas	437
8.4.4	Exchange processes	439
8.5	Microscopic underpinning of the Landau theory	441
8.5.1	The spectral function	442
8.5.2	The momentum occupation number	449
8.5.3	Quasiparticle energy, renormalization constant, and effective mass	450
8.5.4	Luttinger's theorem	454
8.5.5	The Landau energy functional	457
8.6	The renormalized hamiltonian approach	461
8.6.1	Separation of slow and fast degrees of freedom	462
8.6.2	Elimination of the fast degrees of freedom	464
8.6.3	The quasiparticle hamiltonian	465
8.6.4	The quasiparticle energy	468
8.6.5	Physical significance of the renormalized hamiltonian	469
8.7	Approximate calculations of the self-energy	471
8.7.1	The GW approximation	472
8.7.2	Diagrammatic derivation of the generalized GW self-energy	475
8.8	Calculation of quasiparticle properties	478
8.9	Superconductivity without phonons?	484
8.10	The disordered electron liquid	486
8.10.1	The quasiparticle lifetime	489
8.10.2	The density of states	491
8.10.3	Coulomb lifetimes and weak localization in two-dimensional metals	493
	<i>Exercises</i>	494
<b>9</b>	<b>Electrons in one dimension and the Luttinger liquid</b>	<b>501</b>
9.1	Non-Fermi liquid behavior	501
9.2	The Luttinger model	503
9.3	The anomalous commutator	509
9.4	Introducing the bosons	512
9.5	Solution of the Luttinger model	514
9.5.1	Exact diagonalization	515
9.5.2	Physical properties	517
9.6	Bosonization of the fermions	519
9.6.1	Construction of the fermion fields	519
9.6.2	Commutation relations	522
9.6.3	Construction of observables	523
9.7	The Green's function	525
9.7.1	Analytical formulation	525

Cambridge University Press

0521821126 - Quantum Theory of the Electron Liquid

Gabriele Giuliani and Giovanni Vignale

Table of Contents

[More information](#)

xiv

*Contents*

9.7.2	Evaluation of the averages	526
9.7.3	Non-interacting Green's function	528
9.7.4	Asymptotic behavior	530
9.8	The spectral function	531
9.9	The momentum occupation number	534
9.10	Density response to a short-range impurity	534
9.11	The conductance of a Luttinger liquid	538
9.12	Spin–charge separation	542
9.13	Long-range interactions	546
	<i>Exercises</i>	547
<b>10</b>	<b>The two-dimensional electron liquid at high magnetic field</b>	<b>550</b>
10.1	Introduction and overview	550
10.2	One-electron states in a magnetic field	555
10.2.1	Energy spectrum	556
10.2.2	One-electron wave functions	558
10.2.3	Fock–Darwin levels	560
10.2.4	Lowest Landau level	561
10.2.5	Coherent states	562
10.2.6	Effect of an electric field	563
10.2.7	Slowly varying potentials and edge states	564
10.3	The integral quantum Hall effect	567
10.3.1	Phenomenology	567
10.3.2	The “edge state” approach	569
10.3.3	Štrěda formula	571
10.3.4	The Laughlin argument	573
10.4	Electrons in full Landau levels: energetics	575
10.4.1	Noninteracting kinetic energy	576
10.4.2	Density matrix	576
10.4.3	Pair correlation function	577
10.4.4	Exchange energy	577
10.4.5	The “Lindhard” function	578
10.4.6	Static screening	579
10.4.7	Correlation energy – the random phase approximation	581
10.4.8	Fractional filling factors	581
10.5	Exchange-driven transitions in tilted field	583
10.6	Electrons in full Landau levels: dynamics	584
10.6.1	Classification of neutral excitations	585
10.6.2	Collective modes	585
10.6.3	Time-dependent Hartree–Fock theory	585
10.6.4	Kohn's theorem	589
10.7	Electrons in the lowest Landau level	591

<i>Contents</i>		xv
10.7.1	One full Landau level	591
10.7.2	Two-particle states: Haldane's pseudopotentials	592
10.8	The Laughlin wave function	594
10.8.1	A most elegant educated guess	594
10.8.2	The classical plasma analogy	595
10.8.3	Structure factor and sum rules	598
10.8.4	Interpolation formula for the energy	600
10.9	Fractionally charged quasiparticles	601
10.10	The fractional quantum Hall effect	606
10.11	Observation of the fractional charge	606
10.12	Incompressibility of the quantum Hall liquid	606
10.13	Neutral excitations	609
10.13.1	The single mode approximation	609
10.13.2	Effective elasticity theory	615
10.13.3	Bosonization	619
10.14	The spectral function	621
10.14.1	An exact sum rule	621
10.14.2	Independent boson theory	622
10.15	Chern–Simons theory	625
10.15.1	Formulation and mean field theory	626
10.15.2	Electromagnetic response of composite particles	628
10.16	Composite fermions	631
10.17	The half-filled state	637
10.18	The reality of composite fermions	639
10.19	Wigner crystal and the stripe phase	641
10.20	Edge states and dynamics	644
10.20.1	Sharp edges vs smooth edges	644
10.20.2	Electrostatics of edge channels	645
10.20.3	Collective modes at the edge	649
10.20.4	The chiral Luttinger liquid	653
10.20.5	Tunneling and transport	655
	<i>Exercises</i>	662

## Appendices

<i>Appendix 1</i>	Fourier transform of the coulomb interaction in low dimensional systems	667
<i>Appendix 2</i>	Second-quantized representation of some useful operators	670
<i>Appendix 3</i>	Normal ordering and Wick's theorem	674
<i>Appendix 4</i>	The pair correlation function and the structure factor	682
<i>Appendix 5</i>	Calculation of the energy of a Wigner crystal via the Ewald method	688
<i>Appendix 6</i>	Exact lower bound on the ground-state energy of the jellium model	690

xvi	<i>Contents</i>	
<i>Appendix 7</i>	The density–density response function in a crystal	693
<i>Appendix 8</i>	Example in which the isothermal and adiabatic responses differ	695
<i>Appendix 9</i>	Lattice screening effects on the effective electron–electron interaction	697
<i>Appendix 10</i>	Construction of the STLS exchange–correlation field	700
<i>Appendix 11</i>	Interpolation formulas for the local field factors	702
<i>Appendix 12</i>	Real space–time form of the noninteracting Green’s function	707
<i>Appendix 13</i>	Calculation of the ground–state energy and thermodynamic potential	709
<i>Appendix 14</i>	Spectral representation and frequency summations	713
<i>Appendix 15</i>	Construction of a complete set of wavefunctions, with a given density	715
<i>Appendix 16</i>	Meaning of the highest occupied Kohn–Sham eigenvalue in metals	717
<i>Appendix 17</i>	Density functional perturbation theory	719
<i>Appendix 18</i>	Density functional theory at finite temperature	721
<i>Appendix 19</i>	Completeness of the bosonic basis set for the Luttinger model	724
<i>Appendix 20</i>	Proof of the disentanglement lemma	726
<i>Appendix 21</i>	The independent boson theorem	728
<i>Appendix 22</i>	The three–dimensional electron gas at high magnetic field	732
<i>Appendix 23</i>	Density matrices in the lowest Landau level	736
<i>Appendix 24</i>	Projection in the lowest Landau level	738
<i>Appendix 25</i>	Solution of the independent boson model	740
	<b>References</b>	742
	<b>Index</b>	765